


mNN

452.5
450.0
447.5
445.0
442.5
440.0
437.5
435.0

434.0

| WSP [mNN] | Q [m³/s] |
|-----------|----------|
| HQExtrem | |
| 436.48 | 25.93 |
| HQ200 | |
| 436.41 | 20.37 |
| HQ100 | |
| 436.39 | 18.52 |
| HQ50 | |
| 436.34 | 16.46 |
| HQ25 | |
| 436.25 | 12.71 |
| HQ10 | |
| 436.08 | 11.67 |
| HQ5 | |
| 436.01 | 9.52 |
| MHQ | |
| 435.79 | 6.81 |
| 0,5*MHQ | |
| 435.45 | 3.41 |
| 0,1*MHQ | |
| 435.07 | 0.68 |



Clerve, Querprofile

Projekt: TIMIS flood / Dezember 2010

Profil-Nr. 1804315
 Modell-km 43.344
 X-Maßstab 1 : 2000
 Y-Maßstab 1 : 200
 Gewässer-km AGE 43.344



Beauftragt durch
 MINISTÈRE DE L'INTÉRIEUR
 ET À LA GRANDE RÉGION
 Administration de la gestion de l'eau

Bearbeitet durch
Ernst Basler + Partner
 Hydrotec
 Ingenieurgesellschaft für Wasser und Umwelt mbH