


mNN



WSP [mNN] | Q [m³/s]

HQextrem	292.01	8.14
HQ200	291.97	6.27
HQ100	291.95	5.64
HQ50	291.94	5.03
HQ25	291.93	4.74
HQ10	291.91	3.82
HQ5	291.88	3.11
MHQ	291.84	1.94
0,5*MHQ	291.77	0.45
0,5*MHQ	291.36	0.89
MHQ	291.36	0.73
HQ5	291.36	0.63
HQ10	291.36	0.61
HQ25	291.36	0.60
HQ50	291.36	0.59
HQ100	291.36	0.59
HQ200	291.36	0.58
HQextrem	291.36	0.58
0,1*MHQ	291.10	0.27

290.0

Überströmprofil		Nicht abflusswirksam	
Y (mNN)		-74.99 297.59	297.71
X (m)		-69.99	297.15
DVWK-Bewuchs	ax (m) ay (m) dp (m)	-51.99 296.57	296.57
Rauheiten Ks (mm)		-43.99 295.93	295.93
Teilabschnitte		-32.99 294.73	294.73
		-29.99 295.20	295.20
		-26.99 295.19	295.19
		-22.99 294.63	294.63
		-16.99 292.63	292.63
		-9.99 291.80	291.80
		-2.99 297.45	297.45
		2.76 297.39	297.39
		9.79 297.24	297.24
		13.83 291.74	291.74
		18.84 291.74	291.74
		23.83 291.64	291.64
		35.83 292.12	292.12
		48.83 293.59	293.59
		54.83 294.69	294.69
		60.83 294.57	294.57
		70.83 295.82	295.82
		81.83 296.67	296.67
allgem. Durchlass		-0.50 291.31	
Y (mNN)			
X (m)			
Rauheiten Ks (mm)			

Pall, Querprofile

Projekt: TIMIS flood / Dezember 2010

Profil-Nr. 170925
 Modell-km 8.814
 X-Maßstab 1 : 1000
 Y-Maßstab 1 : 200
 Gewässer-km AGE 8.842

