


mNN



	WSP [mNN]	Q [m³/s]
HQextrem	229.17	95.21
HQ200	228.90	74.81
HQ100	228.79	68.01
HQ50	228.75	65.32
HQ25	228.56	55.03
HQ10	228.38	45.82
HQ5	228.19	38.15
MHQ	227.83	25.88
0,5*MHQ	227.27	12.94
0,1*MHQ	226.51	2.59

225.0

Nicht abflusswirksam																																					
Offenes Profil	Y (mNN)	-82.22	238.33	-78.21	237.40	-59.16	234.29	-43.12	230.95	-31.09	230.12	-28.08	229.65	-20.06	228.90	-15.05	228.43	-5.85	227.80	4.23	227.51	10.43	228.02	14.24	228.76	20.46	229.27	25.47	231.11	31.56	233.79	37.61	235.97	49.72	237.69		
	X (m)																																				
	DVWK-Bewuchs	ax (m)																																			
		ay (m)																																			
		dp (m)																																			
	Rauheiten Ks (mm)																																				
	Teilabschnitte	<div style="display: flex; justify-content: space-between; align-items: center;"> ← Vorland links → Haupt ← Vorland rechts → </div>																																			
		-100	-75	-50	-25	0	25	50	75																												

Syre, Querprofile

Projekt: TIMIS flood / Dezember 2010

Profil-Nr. 191100
 Modell-km 14.402
 X-Maßstab 1 : 1000
 Y-Maßstab 1 : 200
 Gewässer-km AGE 14.402

