



mNN



288.0

| WSP [mNN] | Q [m³/s] |
|-----------|----------|
| HQExtrem | |
| 292.34 | 119.42 |
| HQ200 | |
| 291.86 | 93.83 |
| HQ100 | |
| 291.69 | 85.30 |
| HQ50 | |
| 291.51 | 75.80 |
| HQ25 | |
| 290.99 | 58.55 |
| HQ10 | |
| 290.89 | 53.75 |
| HQ5 | |
| 290.70 | 43.84 |
| MHQ | |
| 290.47 | 31.36 |
| 0,5*MHQ | |
| 290.15 | 15.68 |
| 0,1*MHQ | |
| 289.61 | 3.14 |



Clerve, Querprofile

Projekt: TIMIS flood / Dezember 2010

Profil-Nr. 1800945
 Modell-km 9.520
 X-Maßstab 1 : 2000
 Y-Maßstab 1 : 200
 Gewässer-km AGE 9.520



Beauftragt durch
 MINISTÈRE DE L'INTÉRIEUR
 ET À LA GRANDE RÉGION
 Administration de la gestion de l'eau

Bearbeitet durch
Ernst Basler + Partner
 Hydrotec
 Ingenieurgesellschaft für Wasser und Umwelt mbH