


mNN

272.5
270.0
267.5
265.0
262.5
260.0
257.5
255.0

254.0

| WSP [mNN] | Q [m³/s] |
|-----------|----------|
| HQextrem | |
| 258.40 | 114.53 |
| HQ200 | 89.99 |
| 258.22 | |
| HQ100 | 81.81 |
| 258.14 | |
| HQ50 | 74.23 |
| 258.07 | |
| HQ25 | 66.37 |
| 258.00 | |
| HQ10 | 56.36 |
| 257.86 | |
| HQ5 | 48.51 |
| 257.74 | |
| MHQ | 39.12 |
| 257.55 | |
| 0,5*MHQ | 19.56 |
| 256.88 | |
| 0,1*MHQ | 3.91 |
| 255.43 | |



Eisch, Querprofile

Projekt: TIMIS flood / Dezember 2010

Profil-Nr. 156920
Modell-km 23.279
X-Maßstab 1 : 2000
Y-Maßstab 1 : 200
Gewässer-km AGE 23.279



Beauftragt durch
MINISTÈRE DE L'INTÉRIEUR
ET À LA GRANDE RÉGION
Administration de la gestion de l'eau

Bearbeitet durch
Ernst Basler + Partner
Hydrotec
Ingenieurgesellschaft für Wasser und Umwelt mbH