


mNN



| WSP [mNN] | Q [m³/s] |
|-----------|----------|
| HQextrem  |          |
| 303.81    | 65.23    |
| HQ200     |          |
| 303.58    | 51.25    |
| HQ100     |          |
| 303.49    | 46.59    |
| HQ50      |          |
| 303.41    | 42.28    |
| HQ25      |          |
| 303.31    | 37.80    |
| HQ10      |          |
| 303.19    | 32.10    |
| HQ5       |          |
| 303.08    | 27.63    |
| MHQ       |          |
| 302.94    | 22.28    |
| 0,5*MHQ   |          |
| 302.49    | 11.14    |
| 0,1*MHQ   |          |
| 301.64    | 2.23     |

300.0

| Nicht abflusswirksam |                   |                 |         |         |         |         |         |         |         |        |        |        |        |        |        |        |                  |        |        |        |        |        |        |        |        |        |        |        |  |  |
|----------------------|-------------------|-----------------|---------|---------|---------|---------|---------|---------|---------|--------|--------|--------|--------|--------|--------|--------|------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--|--|
| Offenes Profil       | Y (mNN)           | 308.59          | 308.09  | 308.34  | 307.80  | 307.43  | 306.68  | 306.53  | 306.78  | 306.51 | 305.64 | 305.43 | 304.73 | 304.45 | 303.92 | 303.78 | 303.56           | 303.08 | 302.45 | 303.34 | 303.92 | 304.20 | 305.15 | 305.72 | 306.69 | 308.45 | 309.42 | 310.74 |  |  |
|                      | X (m)             | -243.97         | -203.98 | -192.98 | -156.98 | -148.98 | -141.98 | -133.98 | -116.98 | -93.98 | -78.98 | -59.98 | -50.98 | -36.98 | -29.98 | -24.99 | -19.98           | -10.91 | -5.75  | 10.22  | 24.10  | 29.11  | 46.07  | 53.06  | 59.05  | 76.02  | 83.01  | 108.97 |  |  |
|                      | DVWK-Bewuchs      | ax (m)          |         |         |         |         |         |         |         |        |        |        |        |        |        |        |                  |        |        |        |        |        |        |        |        |        |        |        |  |  |
|                      | ay (m)            |                 |         |         |         |         |         |         |         |        |        |        |        |        |        |        |                  |        |        |        |        |        |        |        |        |        |        |        |  |  |
|                      | dp (m)            |                 |         |         |         |         |         |         |         |        |        |        |        |        |        |        |                  |        |        |        |        |        |        |        |        |        |        |        |  |  |
|                      | Rauheiten Ks (mm) |                 |         |         |         |         |         |         |         |        |        |        |        |        |        |        |                  |        |        |        |        |        |        |        |        |        |        |        |  |  |
|                      | Teilabschnitte    | ← Vorland links |         |         |         |         |         |         |         |        |        |        |        |        |        |        | Vorland rechts → |        |        |        |        |        |        |        |        |        |        |        |  |  |
|                      |                   | -250            | -200    | -150    | -100    | -50     | 0       | 50      | 100     | m      |        |        |        |        |        |        |                  |        |        |        |        |        |        |        |        |        |        |        |  |  |

Eisch, Querprofile  
Projekt: TIMIS flood / Dezember 2010

Profil-Nr. 159190  
Modell-km 40.299  
X-Maßstab 1 : 2000  
Y-Maßstab 1 : 200  
Gewässer-km AGE 40.298

