



mNN



255.0



WSP [mNN]	Q [m³/s]
HQextrem	
257.11	43.61
HQ200	
256.99	34.26
HQ100	
256.97	31.15
HQ50	
256.88	28.07
HQ25	
256.83	26.66
HQ10	
256.63	22.15
HQ5	
256.54	18.66
MHQ	
256.33	13.34
0,5*MHQ	
256.10	6.67
0,1*MHQ	
255.79	1.33

Offenes Profil	Nicht abflusswirksam																												
	Y (mNN)	-83.86	256.64	-62.85	256.86	-32.82	256.58	-13.81	256.41	14.46	258.26	22.07	258.28	27.08	256.81	38.07	256.89	63.09	257.38	73.09	257.77	87.10	259.01	94.10	260.87	101.11	261.74		
	X (m)	-83.86	-62.85	-32.82	-13.81	14.46	22.07	27.08	38.07	63.09	73.09	87.10	94.10	101.11															
	DVWK-Bewuchs	ax (m)																											
		ay (m)																											
		dp (m)																											
	Rauheiten Ks (mm)																												
	Teilabschnitte	← Vorland links							0	Vorland rechts →																			



Pall, Querprofile
 Projekt: TIMIS flood / Dezember 2010

Profil-Nr. 170001
 Modell-km 0.016
 X-Maßstab 1 : 2000
 Y-Maßstab 1 : 200
 Gewässer-km AGE 0.023

