


mNN



WSP [mNN]	Q [m³/s]
HQextrem	28.24
HQ200	22.19
HQ100	20.17
HQ50	18.18
HQ25	17.27
HQ10	14.35
HQ5	12.09
MHQ	8.64
0,5*MHQ	4.32
0,1*MHQ	0.86

263.0

Nicht abflusswirksam																									
Offenes Profil	Y (mNN)	269.87	269.67	268.94	268.32	268.00	267.09	266.96	266.28	266.35	265.68	264.49	264.64	264.87	265.45	265.90	265.84	266.32	266.55	267.17	267.40	270.91	272.05	273.21	
	X (m)	-206.53	-171.53	-154.53	-133.53	-126.53	-114.53	-107.53	-85.31	-79.65	-31.53	-5.18	9.98	23.33	35.99	51.77	67.62	81.71	86.73	97.66	112.61	125.57	137.53	160.45	
	DVWK-Bewuchs	ax (m)																							
	ay (m)																								
	dp (m)																								
Rauheiten Ks (mm)																									
Teilabschnitte		← Vorland links												Vorland rechts →											
		-200	-150	-100	-50	0	50	100	150																

Pall, Querprofile  
 Projekt: TIMIS flood / Dezember 2010

Profil-Nr. 170160  
 Modell-km 2.294  
 X-Maßstab 1 : 2000  
 Y-Maßstab 1 : 200  
 Gewässer-km AGE 2.315

