


mNN



| WSP [mNN] | Q [m³/s] |
|-----------|----------|
| HQextrem | |
| 177.21 | 104.89 |
| HQ200 | 82.41 |
| 176.78 | |
| HQ100 | 74.92 |
| 176.60 | |
| HQ50 | 71.96 |
| 176.53 | |
| HQ25 | 60.62 |
| 176.25 | |
| HQ10 | 50.47 |
| 175.97 | |
| HQ5 | 42.02 |
| 175.69 | |
| MHQ | 28.51 |
| 175.21 | |
| 0,5*MHQ | 14.26 |
| 174.58 | |
| 0,1*MHQ | 2.85 |
| 173.74 | |

173.0

| Nicht abflusswirksam | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|--------------|---------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--|
| Offenes Profil | Y (mNN) | 185.88 | 184.08 | 182.13 | 181.96 | 180.64 | 180.44 | 178.82 | 177.30 | 177.07 | 176.78 | 176.67 | 175.77 | 177.47 | 177.63 | 177.39 | 177.68 | 178.07 | 180.28 | 182.69 | 185.21 | |
| | X (m) | -76.29 | -71.29 | -62.29 | -59.29 | -55.29 | -48.29 | -43.29 | -36.29 | -24.30 | -19.28 | -6.57 | 6.96 | 51.29 | 56.29 | 59.29 | 68.29 | 74.29 | 84.29 | 91.29 | 103.29 | |
| | DVWK-Bewuchs | ax (m) | | | | | | | | | | | | | | | | | | | | |
| | ay (m) | | | | | | | | | | | | | | | | | | | | | |
| | dp (m) | | | | | | | | | | | | | | | | | | | | | |
| Rauheiten Ks (mm) | | | | | | | | | | | | | | | | | | | | | | |
| Teilabschnitte | | Vorland links | | | | | | | | | | Vorland rechts | | | | | | | | | | |

Schwarze Ernz, Querprofile
 Projekt: TIMIS flood / Dezember 2010

Profil-Nr. 140100
 Modell-km 0.977
 X-Maßstab 1 : 1000
 Y-Maßstab 1 : 200
 Gewässer-km AGE 0.977



Beauftragt durch
 MINISTÈRE DE L'INTÉRIEUR
 ET À LA GRANDE RÉGION
 Administration de la gestion de l'eau

Bearbeitet durch
Ernst Basler + Partner
 Hydrotec
 Ingenieurgesellschaft für Wasser und Umwelt mbH