


mNN



WSP [mNN]	Q [m³/s]
HQextrem	
248.62	51.00
HQ200	
248.48	40.07
HQ100	
248.44	36.43
HQ50	
248.42	34.99
HQ25	
248.34	29.48
HQ10	
248.26	24.54
HQ5	
248.18	20.43
MHQ	
247.99	13.86
0,5*MHQ	
247.45	6.93
0,1*MHQ	
246.30	1.39

245.0

Nicht abflusswirksam																													
Offenes Profil	Y (mNN)	252.45	252.39		250.97	250.52	250.52		249.65	249.73	250.08	250.08	248.22	247.75	247.87	247.93		248.09		248.68	249.10	249.34	249.93	249.98	251.07	251.94	252.00		
	X (m)	-117.29	-104.29		-80.29	-75.29	-70.29		-50.29	-45.29	-35.29	-24.30	-19.29	-4.39	19.47	24.48		69.56		128.65	134.66	145.68	151.69	158.70	180.74	203.78	215.80		
	DVWK-Bewuchs	ax (m)																											
		ay (m)																											
		dp (m)																											
	Rauheiten Ks (mm)																												
	Teilabschnitte	← Vorland links										Vorland rechts →																	

m

Syre, Querprofile
 Projekt: TIMIS flood / Dezember 2010

Profil-Nr. 191670
 Modell-km 24.185
 X-Maßstab 1 : 2000
 Y-Maßstab 1 : 200
 Gewässer-km AGE 24.185

